



DSY PRO

Yellow

Appearance	A yellow liquid
CI Reference	Disperse Yellow 54
Pigment Solids Content (%)	16 ±0.5
pH	6.0 - 8.0
Viscosity (mPas) at 25°C & 60 rpm	<10
Surface Tension (mN/m)	33 - 43
Average Mean Particle Size (nm)	<150
100% particles less than (nm)	<500
Stable at 60°C (Days)	≥28
Conductivity (μS)	<1500
Lightfastness	6

Based on the high quality inkjet grade disperse dye Yellow 54, DSY PRO provides vibrant, long-lasting colours and good printability. Having been stabilised utilising Diamond's unique propriety surface stabilisation technology, this tried and tested dispersion is also extremely stable and easy to formulate.

Available in:

500g
25kg
200kg